Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	16497	engine with ground	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/12 02:25
L15	1631	engine with ground\$3 with frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/12 02:42
L16	1	("2002/0115317").URPN.	USPAT	OR	ON	2005/12/12 02:28
L17	112	engine with ground\$3 with frame with (wire cable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/12 02:45
S1	180	ground with starter with engine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 08:08
S2	2224	(cable, wire, link, strap) with engine with (frame, body)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 08:50
<b>S3</b>	1350	(cable, wire, link, strap, ground) with engine with (battery)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 08:51
· S4	1	(ground with starter with engine) and (((cable, wire, link, strap) with engine with (frame, body)) and ((cable, wire, link, strap, ground) with engine with (battery)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 08:51
S5	19	starter and (((cable, wire, link, strap) with engine with (frame, body)) and ((cable, wire, link, strap, ground) with engine with (battery)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 01:38
S6	6	("4177770"   "4188598"   "5105776"   "5426416"   "5481194"   "5581171").PN.	USPAT	OR	ON	2004/07/26 08:53
<b>S</b> 7	108	((cable, wire, link, strap) with engine with (frame, body)) and ((cable, wire, link, strap, ground) with engine with (battery))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:30
S8	10	"3082526"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:33

S9	0	"3082526U"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:33
S10	0	"jp3082526U"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:33
S11	486	123/179.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/29 16:14
S12	3	ground\$3.ab. and 123/179.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:46
S13	2	cable\$3.ab. and 123/179.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:46
S14	5744	123/179.\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:46
S15	36	ground\$3.ab. and 123/179.\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:57
S16	15	"153309"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:53
S17	21	"155552"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:54
S18	2	"2001155552"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:55
S19	0	"20013082526"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 09:55
S20	1326	(307/9.1,10.6).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/07/29 16:14

S21	54	ground\$3.ab. and ((307/9.1,10.6). CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 10:02
S22	8	ground\$3.ab. and 123/179.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 10:14
S23	1722	290/38\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 10:14
S24	0	ground\$3.ab. and "23."	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 10:15
S25	241	ground\$3 and 290/38\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 10:15
S26	17	ground\$3.ab. and 290/38\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 10:15
S27	1631	ground adj cable	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR .	ON	2004/07/26 11:31
S28	21	ground adj cable with engine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/02 23:40
S29	30203	grounding .ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 11:34
S30	14	grounding with starter .ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 11:36
S31	243	grounding with car.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 11:39
S32	4742	(ground with vehicle).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 11:40

622	====	(	LIC DCDUD	OB	ON	2004/07/25 44:40
S33	5066	(ground\$3 with vehicle).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 11:40
S34	26	starter and ((ground\$3 with vehicle).ti.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 12:34
S35	2002	floating with engine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 12:34
S36	22	floating with engine with ground	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 12:37
S37	30	isolated with engine with ground	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/26 13:01
S38	9	isolated with engine with ground	USOCR	OR	ON	2004/07/26 13:01
S39	1328	(307/9.1,10.6).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/07/29 16:14
S40	5746	123/179.\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/29 16:15
S41	6981	((307/9.1,10.6).CCLS.) 123/179.\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/29 16:15
S42	636701	(earth ground).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/29 16:15
S43	80	(((307/9.1,10.6).CCLS.) 123/179.\$. ccls.) and ((earth ground).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/29 16:19
S44	188	wire with engine with frame	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/29 16:20
S45.	422	wire with engine with battery	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/29 16:20

S46	17	(wire with engine with frame) and (wire with engine with battery)	US-PGPUB; USPAT;	OR	ON	2004/07/29 16:20
			EPO; JPO; DERWENT			
S47	21	ground adj cable with engine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/29 16:30
548	72	grounding with starter	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/07/29 16:30
S49	14322	marine and (earth ground)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/01 09:17
S50	98	((marine with (motor engine) ) and (earth ground)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/01 09:20
S51	448	(ground adj cable).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/01 09:20
S52	2	ground with starter with engine and ((ground adj cable).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/01 09:21
S53	10	ground with engine and ((ground adj cable).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/01 09:28
S54	23662	(starting with circuit).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/01 09:38
S55	2342	engine.ab. and ((starting with circuit).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/01 10:02
S56	5	("5967106"   "6249419"   "6434475"   "6466860"   "6564765").PN.	USPAT	OR	ON	2004/08/01 09:41
S57	595	engine with (cabl\$4 wire wiring) with (grounding ground earth earthing)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/01 10:03

					· · · · · · · · · · · · · · · · · · ·	
S58	25	("4632662"   "5207186"   "5234363"   "5501188"   "5514015"   "5524597"   "5647315"   "5713772"   "5765519"   "5809974"   "5829402"   "5878726"   "5899197"   "5899778"   "5904604"   "5941205"   "5984742"   "6045421"   "6062927"   "6082236"   "6109231"   "6276340"   "6296536"   "6298815"   "6302754").PN.	USPAT	OR	ON	2004/08/01 10:22
S59	6	("4177770"   "4188598"   "5105776"   "5426416"   "5481194"   "5581171").PN.	USPAT	OR	ON	2004/08/08 14:40
S60	5	"4177770".URPN.	USPAT	OR	ON	2004/08/08 14:41
S61	2	"6018201".URPN.	USPAT	OR	ON	2004/08/08 14:41
S62	1383	ground\$3 adj strap	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/08 14:42
S63	30	"123"/\$.ccls. and (ground\$3 adj strap)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/08 14:43
S64	4	"4074670".URPN.	USPAT	OR	ON	2004/08/08 14:49
S65	1432	((123/188.7) or (123/306) or (123/457)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/09 05:50
S66	0	("valvewithintake").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/08/09 05:51
S67	84205	valve with intake	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 05:52
S68	521	(((123/188.7) or (123/306) or (123/457)).CCLS.) and (valve with intake)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 05:51
S69	46462	valve with intake.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 05:52
S70	46462	(valve with intake).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 05:52

S71	46462	(valve with intake) and ((valve with intake).ab.)	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/08/09 05:52
			DERWENT			
S72	334	(((123/188.7) or (123/306) or (123/457)).CCLS.) and ((valve with intake).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 05:57
S73	429	123/336.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 05:58
S74	9	(((123/188.7) or (123/306) or (123/457)).CCLS.) and 123/336. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 05:59
S75	350	(flap adj valve) and "123"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 06:10
S76	10	("1282112"   "1469686"   "1550419"   "2147801"   "3234924"   "3635239"   "4176690"   "4246918"   "4380246"   "5072753").PN.	USPAT	OR	ON	2004/08/09 06:02
S77	8798	door with valve	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 06:10
S78	150769	"123"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 06:10
S79	84	(door with valve) and "123"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 06:15
S80	294	spring adj loaded adj assembly	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 06:15
S81	4	"123"/\$.ccls. and (spring adj loaded adj assembly)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/08/09 06:15
S82	38	ground\$3 with cable with engine with (body frame chassis)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/02 23:59

	ı		1	1	[···	
S83	470	GROUND adj STRUCTURE.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/02 23:59
S84	14766	(ground\$3 or earth\$3) with engine	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 01:37
S85	197,805	"123"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 01:37
S86	2284	S84 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 01:37
S87	85	(cable, wire, link, strap) with engine with (frame, body) with (battery)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/21 01:39
S88	8	S86 and S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 01:40
S89	30	rubber adj motor adj mounts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 07:37
S90	264647	(ground or earth ) with (cable strap wire line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 07:38
S91	18262	S90 with (starter part)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 07:38
S92	3126	S91 with ( body frame vehicle car boat motorcycle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 07:40

S93	169	(size gauge diameter thickness	US-PGPUB;	OR	ON	2005/03/21 07:42
373	109	(size gauge diameter thickness gage guage) with S92	USPAT; USOCR; EPO; JPO; DERWENT		OIV	2003/03/21 07.42
S94 <sub>-</sub>	62	(motor engine) and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 07:48
S95	0	WO003091074A1.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2005/03/21 07:48
S96	0	"003091074"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR -	ON .	2005/03/21 07:49
S97	13	"3091074"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 08:01
S98	15	"3082526"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/03/21 08:02
599	4	"153309"	EPO; JPO; DERWENT	OR	ON	2005/03/21 08:03
S10 0	7	("3609383").URPN.	USPAT	OR	ON	2005/05/15 01:07
S10 1	716	290/38R	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/05/15 01:07
S10 2	11	("4862010"   "4896637"   "4917410"   "5325827"   "5343351"   "5345901"   "5347419"   "5377068"   "5381297"   "5383428"   "5402758").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/15 01:26